

*La Beauté commence par la qualité de la peau. N3.*

Over time, the health of our skin is directly impacted by our lifestyle and external factors. The secret for preserving it is to take care of it as early as possible.

Renowned as a key player in the field of aesthetic medicine, REVITACARE has been inspired by its injectable medical devices, based on hyaluronic acid and specific ingredients, which prevent and correct the visible signs of aging to expand its product range with sterile cosmetics products, care dedicated to aesthetic professionals:

## C Line

This range underlines a true experience of high-end technical care inspired by the scientific know-how of aesthetic medicine and are adapted to institutes and spas expectations.

LABORATOIRE  
REVITACARE  
FRANCE

Made in France

21, avenue de l'Eguillette - Parc d'Activités du Vert Galant  
95310 Saint Ouen l'Aumône - FRANCE  
Tel: +33 (0) 1 30 37 31 45 - Email: [contact@revitacare.fr](mailto:contact@revitacare.fr)  
[www.revitacare.net](http://www.revitacare.net)

AIMP056/M02\_21-02\_EN

STRETCHCARE **C Line**

LABORATOIRE  
REVITACARE  
FRANCE





Over time, **face or body skin** is **slackening** and **can lack firmness**.

# STRETCHCARE **C Line**

— Stretching and tonifying body solution —



## A TONIFYING SKIN SOLUTION<sup>1</sup>

with **stretching effect<sup>1</sup>** which **improves skin tonicity<sup>2</sup>** and **elasticity<sup>2</sup>** to fight against skin slackening.

## ADAPTED FORMULA & DERMATOLOGICAL TOLERANCE<sup>1</sup>

Hyaluronic Acid



Micronutriments Complex  
(DMAE<sup>3</sup>, B5 vitamin, Copper & Zinc)



The skin looks **smoother, softer, suppler** and **more pleasant** to the touch<sup>1</sup>.

The skin looks **as if lifted** and **more toned<sup>1</sup>**.

For **83%** of the volunteers, **the results were visible** at the end of the protocol<sup>1</sup>

## PROTOCOL OF USE

After skin cleaning, apply proper amount on the dedicated zone and massage until complete absorption.

<sup>1</sup> Assessment of clinical and dermatological tolerance of a cosmetic product and its acceptability after a 28-day application period on 23 female adult volunteers.

<sup>2</sup> Assessment of the effect of a cosmetic product by measurements using a DTM (Dermal Torque Meter).

<sup>3</sup> Dimethylethanolamine.